



Voque

FASHIONABLE WALLS

Astoniq



Vogue Astoniq, a smooth interior lime-based plaster, can be used to create various effects inspired by marble and other stone finishes. It is a special effect paint that will enable you to transform your walls with a variety of innovative and creative effects, propped with the latest trending colours.

PACK SIZES



1 Kg

FEATURES

- Marble finish
- Stunningly smooth
- Anti-fungal
- Low VOC

CAUTION

Follow the application procedure for best results. Do not over-thin or over-extend the recommended patch size till you complete the entire application. If diluted, use within 24 hours

Stir and mix the paint thoroughly in the container to homogenize before application, to have better ease of application and uniformity in shade tinted

Do not apply over surfaces that have dampness or seepage or when the environmental temperature is below 10°C or above 40°C

CERTIFICATION


No Fungal Growth as per ASTM test D5590:20174

Compliant to VOC requirement for Paints as per IS 101(Part 2/sec 1) : 1988 and IS 101(Part 2/ Sec 2) : 1986



PREPARATION

- Surfaces to be painted must be clean, dry, and free from seepage, leakage, loose old paint, dirt, dust, grease, oil, soap, wax and other impurities
- Remove any peeling paint and sand these areas to feather edges smooth with adjacent surfaces
- New plaster or masonry surfaces must be allowed to cure for 28 days before application. Cured plaster should be hard (non-powdery) and in sound condition
- Growths of fungus, algae or moss should be removed by wire brushing and washing thoroughly with potable water
- In case of areas having excess dampness, please repair the surface before painting. In case there are structural cracks, please study and repair them with a Structural Engineer
- Open non-structural cracks in V-groove and fill with cement/crack filler
- Apply cement/acrylic putty (wherever needed) to fill the dents and level the surface. Sand and smoothen the surface with sandpaper no. 320 and wipe clean before paint application



APPLICATION

- PRIMER** Apply 1 coat of interior primer followed by 1-2 coats of putty
- APPLICATION TOOL** Steel trowel
- SANDING** Sand the surface using 150-180 sandpaper

STEP 1	1 ST COAT		Voque FASHIONABLE WALLS Astoniq	4-6 hrs dry
STEP 2	2 ND COAT		Voque FASHIONABLE WALLS Astoniq	2-3 hrs dry
STEP 3	Use the dilute effect for topcoat (water up to 10%)		Voque FASHIONABLE WALLS Astoniq	Buff the surface with trowel

Avoid working near the edges of the patch applied. Continue working in a similar structure by overlapping subsequent patches to have overall uniformity of pattern on the entire surface.



INFORMATION AND CARE

ENVIRONMENTAL HEALTH AND SAFETY

- Do not apply at temperatures below 10°C or above 40°C
- Do not thin more than 10% as it will affect pattern sharpness
- In case of eye contact, wash with plenty of water. Take medical advice
- Tightly close the lid when not in use and store in a cool dry place

POST PAINTING CARE

- Prevent sharp objects or impact that damage paint film
- Ensure proper cleaning of surface at an interval of 6 months
- Polish the surface with a dry and clean muslin cloth to have better distinction of gloss

PRODUCT INFORMATION

Colours	100
Tint Bases	White

KEY DATA

No. of colours	100
Coverage^	20-25 Sqft/Kg
Drying Time* (30°C @ 60 R/H)	6-8 hours
Flash Point	Water-based, not applicable
Thin with	Water
VOC levels~	<10 gm/kg



PRODUCT FINISH



Other Voque products:

The JSW Paints Vogue range brings you best-in-class special effect paints for interiors.

Carefully crafted for a luxurious feel, Vogue Metalliq and Vogue Effectiq are water-based acrylic emulsion paints that ingeniously dry to touch within 6-8 hours of application. These special effect paints are designed to enable you to transform your walls with a variety of innovative and creative effects, propped with the latest trending colours.

Every JSW Paints product works to transform beautiful thoughts into reality. Everything about the paint, its application and its finish is designed to be the 'Simple-Swift-Sure' way to making homes beautiful.

JSW Paints - Think Beautiful



METALLIQ



EFFECTIQ



JSW Paints presents **Colourvista Shade Panorama**, a splendid collection of 1808 curated shades assembled in tones for every mood. The **Colourvista Shade Panorama Fandeck** is uniquely designed to easily pick the right colour and choose colour combinations for homes.



Colourvista Shade Panorama

FEATURES OF THE INNOVATIVE FANDECK

- 1808 Curated Shades
- Tone Based User-friendly Fandeck
- Easy to Choose Colour Combinations

Version No. 01 (03/2022)

This information sheet supersedes all previous versions

For feedback/complaints, write to Customer Care Manager, JSW Paint Pvt. Ltd, Jindal Mansion, 5A, Dr. G.Deshmukh Marg, Mumbai 400 026, India or email at ccpaints@jsw.in or call on 1800-121-5797.

*Drying time and number of coats are dependent on temperature, humidity, surface porosity and film thickness.

^Actual coverage may vary from the quoted coverage, due to factors such as method and condition of application and surface roughness and porosity.